

<u>TO ALK TO WHOM: THESE: PRESENTS SHAAL COME;</u>

Pioneer Ki-Bred International, Inc.

THERETS, THERE HAS BEEN PRESENTED TO THE

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED DISTINCT VARIETY OF SEXUALLY REPRODUCED, OR TUBER PROPAGATED, PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT

VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HERS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF TWENTY TEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC EPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE LATE OF EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR RITING IT, OR EXPORTING IT, OR CONDITIONING IT FOR PROPAGATION, OR STOCKING IT FOR ANY OF THE PURPOSE, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT BY THE PLANT VARIETY PROTECTION ACT. (84 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

SOYBEAN

'95B33'

In Costimony Macrost, I have hereunto set my hand and caused the seal of the Hunt Harriety Protection Office to be affixed at the City of Washington, D.C. this twenty-seventh day of October, in the year of our Lord two thousand.

Carflulinen

Socretary of Agriculture

ALAAA

Acting Commissioner

Plant Variety Protection Office

PUPO NUMB 3582 Pe area code) E DATE 1 1 1 2288 N G FILING A E \$ 24 E DATE 1 1 CERTIFIC E CERTIFIC E CERTIFIC E CERTIFIC E JATE 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	plant variety protection ation is held confidential NAME 33 OFFICIAL USE ONLY 9 0 0 1 0 0 - 27 - 98 SATION FEE: 20 0 Include area code) 0-3582 (include area code)
p be issued (7 U.S.C. 2421). Information is issued (7 U.S.C. 2421). Information is issued (7 U.S.C. 2426). AL NUMBER 3. VARIETY N 95B3 (include area code) FOR PVPO NUMB 1. Information is issued (7 U.S.C. 2421). Information is is is is issued (7 U.S.C. 2421). Information is	Addition is held confidential NAME 33 OFFICIAL USE ONLY 9 0 0 1 0 0 - 27 - 98 SATION FEE: - 27 - 98 SATION FEE: - 20 0 ONE (include area code) 0-3582 (include area code)
(include area code) FOR PYPO NUMB STATE FILING A FIL	OFFICIAL USE ONLY OFFICIAL USE
(include area code) PUPO NUMB P	OFFICIAL USE ONLY OFFICIAL USE
PUPO NUMBERS POPO NUMBERS FILING A FI	POR CONTRACTOR FEE: SO. SO. -27-98 CATION FEE: -28-00-00-00-00-00-00-00-00-00-00-00-00-00
Pe area code) E DATE L L L L L L L L L L L L L L L L L L L	-27-98 -2
Pe area code) E DATE L L L L L L L L L L L L L L L L L L L	-27-98 -2
2288 Total Components Comp	ND EXAMINATION FEE: (30), 60 - 27 - 98 CATION FEE: (6) 0 ONE (include area code) 0-3582 (include area code)
mon name) Filing A Filin	ND EXAMINATION FEE: (30), 60 - 27 - 98 CATION FEE: (6) 0 ONE (include area code) 0-3582 (include area code)
FILING A \$ 24 E DATE ORPORATION 926 PAPERS 14. TELEPHO 515-270 15. FAX (6)	SO,
ORPORATION 926 APERS 14. TELEPHO 515-270	- Z7 - 98 CATION FEE: Observed the control of the
S	CATION FEE; CONE (include area code) 0-3582 (include area code)
TORPORATION PORPORATION PORPO	CATION FEE; CONE (include area code) 0-3582 (include area code)
PAPERS 14. TELEPHO 515-270 15. FAX (a)	DNE (include area code) 0-3582 (include area code)
PORPORATION E DATE D 14. TELEPHO 515-270 15. FAX (O-3582
926 D D 14. TELEPHO 515-270	ONE (include area code) 0-3582 (include area code)
APERS 14. TELEPHO 515-270	ONE (include area code) 0-3582 (include area code)
515-270	0-3582 (include area code)
15. FAX ((include area code)
	·
	-
515-253	3-2288
FIED SEED (See Section 83(a) of the Pla	nt Variety Protection Act)?
IN MULCU CLASSES OF BRODUCTION	DEVOND DREEDED SEEDS
The second secon	RTIFIED
RETED IN THE U.S. OR OTHER GOUNT	RIES?
	ith such regulations as may b
	iform, and stable as required
(Owner(s))	
	DATE
	IFIED SEED (See Section 83(a) of the Piants 18, WHICH CLASSES OF PRODUCTION TON REGISTERED CERKETED IN THE U.S. OR OTHER COUNT 19 enished upon request in accordance with eduration of the certificate (of the certificate) (Owner(s))

Exhibit A. Origin and Breeding History of the Variety

Soybean Variety 95B33

Variety 95B33 evolved from a 1989 cross of 4420-13 by 4999.

4420-13 was 2011-031/1095C35. 2011-031 was 1190-02/J74-45. 1190-02 was MACK/FORREST. 1095C35 was ESSEX/D66-5566. 4999 was HUTCHESON/9591.

It is an F5-derived variety which was advanced to the F5 generation by modified single seed descent. The F6 progeny row of 95B33 was grown in the summer of 1992. Subsequently, 95B33 has undergone 3 years of extensive testing and purification and has been observed by the breeder to be uniform and stable for all plant traits from generation to generation, with no evidence of variants. On the basis of high yield and resistance to Race 3 of Soybean Cyst Nematode, variety 95B33 was given a commercial number.

The purification block was grown during the summer of 1995 and 54 sublines were bulked for increase. Three acres of 95B33 (breeders seed) were grown in the summer of 1996. Eighty acres of parent seedstock (foundation seed equivalent) were grown in the summer of 1997 and 2170 bushels harvested.

Exhibit B. Statement of Distinctness

Soybean Variety 95B33

Variety 95B33 is most similar to variety DP3519S. Both varieties have purple flowers, gray pubescence and yellow seeds with imperfect-black hila. However, DP3519S contains the Als1 allele conferring resistance to Sulfonylurea herbicides whereas 95B33 does not. Variety 95B33 is also similar to variety FFR 563. However, 95B33 is susceptible to race 2 of *Phytophthora megasperma* var. sojae whereas FFR 563 is resistant to race 2.

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE SEED DIVISION - PLANT VARIETY PROTECTION OFFICE BELTSVILLE, MARYLAND 20705

EXHIBIT C (Soybean)

OBJECTIVE DESCRIPTION OF VARIETY

SOYBEAN	(Glycine max L.)						
	ORARY DESIGNATION	VARIETY NAME					
Pioneer Hi-Bred International, Inc.		95B33					
ADDRESS (Street and No., or R.F.D. No., City, State, and ZIP Code)		FOR OFFICIAL USE ONLY					
7300 N.W. 62nd Ave., P.O. Box 1004		PVPO NUMBER 990010					
Johnston, IA 50131-1004							
Choose the appropriate response which characterizes the variety in the feature the number of boxes provided, place a zero on the first box when number is 9 adequate soybean variety description. Other characters should be described	or less (e.g., 0 [9]). Sta	arred characters 👉 are considered fundamental to an					
1. SEED SHAPE:	$lue{\mathbf{O}}$						
[1] L W	Τ	•					
1 = Spherical (L/W, L/T, and T/W ratios = < 1.2) 3 = Elongate (L/T ratio > 1.2; T/W = < 1.2)		al Flattened (L/W ratio > 1.2; L/T ratio = < 1.2) e Flattened (L/T ratio > 1.2; T/W > 1.2)					
1100,000		5 Ideolog (E.) Ideo > 3.2, 1747 > 1.2)					
★ 2. SEED COAT COLOR: (Mature Seed)							
1 1 = Yellow 2 = Green 3 = Brown 4 = I	3lack 5 = Other (Sp	ecify)					
3. SEED COAT LUSTER: (Mature Hand Shelled Seed)							
	0 = 0hi (Mah						
1 = Dull ('Corsoy 79'; 'Braxton')	2 = Shiny ('Nebsoy'; 'G	asoy 17')					
★ 4. SEED SIZE: (Mature Seed)		·					
1 2 Grams per 100 seeds							
★ 5. HILUM COLOR: (Mature Seed)							
	perfect Black 6 = B	Black 7 = Other (Specify)					
★ 6. COTYLEDON COLOR: (Mature Seed)							
1 1 = Yellow 2 = Green							
★ 7. SEED PROTEIN PEROXIDASE ACTIVITY:							
1 = Low 2 = High							
★ 8. SEED PROTEIN ELECTROPHORETIC BAND:							
1 = Type A (SP1 a) 2 = Type B (SF	P1 b)						
★9. HYPOCOTYL COLOR:		(1.					
1 = Green only ('Evans'; 'Davis')	2 = Green with bron	ze band below cotyledons ('Woodworth'; 'Tracy')					
3 = Light Purple below cotyledons ('Beeson'; 'Picke	tt 71')						
4 = Dark Purple extending to unifoliate leaves ('Hoo	4 = Dark Purple extending to unifoliate leaves ('Hodgson'; 'Coker Hampton 266A')						
★ 10. LEAFLET SHAPE:							
3 1 = Lanceolate 2 = Ovai 3 = Ovate	4 = Other (Speci	ify)					
FORM LMGS-470-57 (6-83) (Edition of 2-82 is obsolete.)		Page 1 of 4					

Variety Name 95B33

11. LEAFLET SIZE:	
2 1 = Small ('Amsoy 71'; 'A5312') 2 = Medium ('Corsoy 79'; 'Gasoy 17')	
3 = Large ('Crawford'; 'Tracy')	
12. LEAF COLOR:	
1 = Light Green ('Weber'; 'York') 2 = Medium Green ('Corsoy 79'; 'Braxton') 3 = Dark Green ('Gnome'; 'Tracy')	
★ 13. FLOWER COLOR:	
2 1 = White 2 = Purple 3 = White with purple throat	
★ 14. POD COLOR:	
1 1 = Tan 2 = Brown 3 = Black	
★ 15. PLANT PUBESCENCE COLOR:	
1 1 = Gray 2 = Brown (Tawny)	
16. PLANT TYPES:	
1 = Slender ('Essex'; 'Amsoy 71') 2 = Intermediate ('Amcor'; 'Braxton') 3 = Bushy ('Gnome'; 'Govan')	
★ 17. PLANT HABIT:	
1 = Determinate ('Gnome'; 'Braxton') 2 = Semi-Determinate ('Will')	
3 = Indeterminate ('Nebsoy'; 'Improved Pelican')	
Ł	
★ 18. MATURITY GROUP:	
$\begin{bmatrix} 0 & 8 \\ \end{bmatrix}$ 1 = 000 2 = 00 3 = 0 4 = I 5 = II 6 = III 7 = IV 8 = V	
9 = VI $10 = VII$ $11 = VIII$ $12 = IX$ $13 = X$	
★ 19. DISEASE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)	
BACTERIAL DISEASES:	•
Bacterial Pustule (Xanthomonas phaseoli var. sojensis)	·
Bacterial Blight (Pseudomonas glycinea)	
★ 1 Wildfire (Pseudomonas tabaci)	
FUNGAL DISEASES:	
Rrown Snot (Sentoria alucines)	
Frogeye Leaf Spot (Cercospora sojina)	
* 1 Race 1 1 Race 2 1 Race 3 1 Race 4 1 Race 5 Other (Specify)	
Target Spot (Corynespora cassiicola)	
Downy Mildew (Peronospora trifoliorum var. manshurica)	
Powdery Mildew (Microsphaera diffusa)	
* 1 Brown Stem Rot (Cephalosporium gregatum)	
Stem Canker (Diaporthe phaseolorum var. caulivora)	
FORM LMGS-470-57 (6-83)	Page 2 of 4

19.	19. DISEASES REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant) (Continued)									
	FL	UNGAL DISEASES: (Continued)								
*	1	Pod and Stem Blight (Diaporthe phaseolorum var; sojae)								
	1	Purple Seed Stain (Cercospora kikuchii)								
	1	Rhizoctonia Root Rot (Rhizoctonia solani)								
		Phytophthora Rot (Phytophthora megasperma var. sojae)								
*	1	Race 1 1 Race	e 2 1 Race 3 0 Race 4	Race 5 0 Race 6	0 Race 7					
	0	Race 8 O Race 9 Other (Specify)								
	VI	VIRAL DISEASES:								
	1	Bud Blight (Tobacco Ringspot Virus)								
	\Box									
		Yellow Mosaic (Bean Yellow Mosaic Virus)								
*		Cowpea Mosaic (Cow	pea Chlorotic Virus)							
		Pod Mottle (Bean Pod	Mottle Virus)							
*		Seed Mottle (Soybean	Mosaic Virus)							
	NE	MATODE DISEASES:								
		Soybean Cyst Nematode (Heterodera glycines)								
*	0	Race 1 0 Race	2 2 Race 3 0 Race 4 2	Other (Specify) 14						
	1	Lance Nematode (Hopiolaimus Colombus)								
*	1	Southern Root Knot Nematode (Meloidogyne incognita)								
*	1	Northern Root Knot Nematode (Meloidogyne Hapla)								
	1	Peanut Root Knot Nematode (Meloidogyne arenaria)								
	1	Reniform Nematode (Rotylenchulus reniformis)								
		OTHER DISEASE NOT ON FORM (Specify)								
20.	PHYSIOLOGICAL RESPONSES: (ENTER 0 = Not tested, 1 = Susceptible, 2 = Resistant)									
*	0	Iron Chlorosis on Calcareois Soil								
	\Box									
	Other (Specify)									
21.	NSEC	T REACTION: (ENTE	ER 0 = Not tested, 1 = Susceptible, 2 = R	esistant)						
	0	Mexican Bean Beetle (Epilachna Varivestis)		¥-					
	0	Potato Leaf Hopper <i>(Empoasca fabae)</i>								
		Potato Lear Hopper (<i>Empoasca rabae</i>)								
į		Other (Specify)								
22. I	NDIC	ATE WHICH VARIETY	MOST CLOSELY RESEMBLES THAT S	UBMITTED.						
	CHA	RACTER	NAME OF VARIETY	CHARACTER	NAME OF VARIETY					
	Plant 9	Shape	A5547	Seed Coat Luster	A5547					
	Leaf S	hape	A5547	Seed Size	A5547					
	Leaf C	olor	A5547	Seed shape	A5547					
	Leaf S	ize	A5547	Seedling Pigmentation	A5547					

Variety Name 95B33

23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Data

VARIETY	NO. OF DAYS MATURITY	PLANT LODGING SCORE	CM PLANT HEIGHT	LEAFLET SIZE		SEED CONTENT		SEED SIZE	NO.	
				CM Width	CM Length	% Protein	% Oil	G/100 SEED	SEEDS POD	
Submitted 95B33	128	1.5	76			42	21	12	2.5	
Name of Similar Variety A5547	131	2.7	74			40	19	14	2.5	~

PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

- 1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
- 2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
- 3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A2 in the USDA soybean germplasm collection. Crop. Sci., 13: 420-421
- 4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1:1-19

Exhibit D. Additional Description of the Variety

Soybean Variety 95B33

In Exhibit C we have identified variety 95B33 as susceptible to bacterial blight, brown spot, frogeye leaf spot, powdery mildew, downy mildew, stem canker, pod and stem blight, rhizoctonia root rot, bud blight, yellow mosaic, cowpea mosaic, pod mottle, seed mottle.

This does not mean that variety 95B33 is any worse for these problems than other varieties of similar maturity. Rather, we do not consider 95B33 to be immune to these problems. Therefore, we have chosen to be conservative and have identified the line as "susceptible".

for definition.

According to the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is 0581-0055. The time required to complete this information collection is estimated to average 10 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in its programs on the basis of race, color, national origin, sex, religion, age, disability, political beliefs, and marital or familial status. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (braille, large print, audiotape, etc.) should contact the USDA Office of Communications at 202-720-2600 (voice and TDD).

To file a complaint, write the Secretary of Agriculture, U.S. Department of Agriculture, Washington, D.C. 20250, or call 1-800-245-6340 (voice) or (202) 720-1127 (TDD). USDA is an equal employment opportunity employer.

(Destroy previous editions)

Electronic version designed using WordPerfect InForms by USDA-AMS-IMB.